




Concrete basins



ALL ABOUT CONCRETE

Decorative Concrete floors



Concrete driveways



Concrete floor enhancements



Modern design elements

Samson

CONTRACTOR'S GUIDE

To restoring concrete surfaces

Uniform colour & finish for walls

Product	Description	Application	Pack Size	Coverage
FairingWash	Bag wash, less than 1mm	Less than 1mm	10kg / 20kg	15m ² to 30m ² per bag
FairingCoat	Thin-set, trowel on mortar, 2mm	2mm	10kg / 20kg	5m ² to 10m ² per bag
DecorTex	Decorative, cementitious, paintable coating for walls. Available in colours.	Less than 1mm	10kg / 20kg kit	40m ² / 80m ² per kit

Restore concrete floors

Product	Description	Application	Pack Size	Coverage
FloorCoat	Decorative, cementitious, paintable coating for concrete floors. Available in colours.	Less than 1mm	10kg / 20kg	10m ² to 20m ² per bag
FloorFill SL	Decorative, cementitious, self-levelling overlayment for concrete floors. Available in colours.	2mm	25kg	5m ² to 10m ² per bag
MM Sealer Combo	Acrylic resin concrete sealer	Less than 1mm	5L / 25L	8m ² per L
AcrySeal	Pigmented acrylic resin paintable coating for durability	Less than 1mm	5L / 25L	8m ² per L

Concrete repairs

Product	Description	Application	Pack Size	Coverage
P3	Cementitious Bonding Agent & Crack filler	Less than 1mm	10kg / 20kg	10m ² per bag
FairingCoat	Thin-set, trowel on mortar	2mm	20kg	5m ² per bag
PatchMortar	Trowelable mortar	5mm to 20mm	10kg / 25kg	2kg per mm

Damp- and Waterproofing

Product	Description	Application	Pack Size	Coverage
P3 X	Cementitious Waterproof slurry & crack filler	1mm	5kg / 10kg / 20kg	5m ² / slurry
CrystalSkim	Waterproofing mortar	5mm to 20mm	10kg / 25kg	2kg per mm
Siloxane Solution	Injectable for damp proofing	Penetrating	5L / 25L	8m ² per L

Cleaning

Product	Description	Application	Pack Size	Coverage
PolyStrip	Removal of oil, tyre marks, polymer/latex based products/paints		5L / 25L	5 m ² per L
Stripper A	Removal of oils, grease, hydrocarbon resins, natural & synthetic rubber, solvent based products		5L / 25L	5 m ² per L

Grout

Product	Description	Application	Pack Size	Coverage
MicroConcrete	Flowable, non-shrink cementitious grout	10 to 60mm	25kg	80 bags per m ³
SDP Grout	Standard dry-pack, thixotropic, non-shrink cementitious grout	20 to 60mm	25kg	80 bags per m ³
SuperFlow TM	Flowable, non-shrink cementitious grout	20 to 60mm	25kg	80 bags per m ³

Decorative Countertops and tables

Product	Description	Application	Pack Size	Coverage
TableTop Mix	Superplasticised small aggregate concrete	20 to 50mm	25kg	80 bags per m ³

Decorative Ponds or Swimming pools

Product	Description	Application	Pack Size	Coverage
P3 X	Cementitious Waterproof slurry & crack filler	1mm	5kg	1kg / m ² / slurry
CrystalSkim	Waterproofing mortar	5mm to 20mm	10kg / 25kg	2kg per mm

FairingWash

Bag wash, less than 1mm

Application: Less than 1mm

Pack size: 10kg / 20kg

Coverage: 15m² to 30m²




FairingCoat

Thin-set, trowel on mortar, 2mm

Application: 2mm

Pack size: 10kg / 20kg

Coverage: 2kg/mm/m²




DecorTex

Decorative, cementitious, paintable coating for walls. Available in colours.

Application: Less than 1mm

Pack size: 10kg kit / 20kg kit

Coverage: 40 m² / 80m² per kit





RESTORE CONCRETE FLOORS

FloorCoat

Decorative, cementitious, paintable coating for concrete surfaces (including driveways & patios)

- Easy to install
- Range of colours

Pack size: 10kg / 20kg

Coverage: 12.5m² / 25m²


MM Sealer Combo

Acrylic resin concrete sealer. A topical, film-forming coating for the protection and refurbishment of concrete.

- Water repellent
- Resistance to oil penetration
- Non-slip when wet

Pack size: 5L / 25L

Coverage: 8m² per L



Portland



Charcoal



Blast Furnace Grey



Cream



Mid Grey



Settled Grey



Natural



Light Grey



CONCRETE FLOOR ENHANCEMENTS

FloorCoat

Decorative, cementitious, paintable coating for concrete floors.

Available in colours.

Application: Less than 1mm

Pack size: 10kg / 20kg

Coverage: 15m² to 30m²



FloorFill SL

Decorative, cementitious, self-levelling overlayment for concrete floors. Available in colours.

Application: 2mm

Pack size: 25kg

Coverage: 5 m² per bag




MM Sealer Combo

Acrylic resin concrete sealer

Application: Less than 1mm

Pack size: 5L / 25L

Coverage: 8m² per L




AcrySeal

Pigmented acrylic resin paintable coating for durability

Application: Less than 1mm

Pack size: 5L / 25L

Coverage: 8m² per L



Mid Grey

Light Grey



CONCRETE FLOOR ENHANCEMENTS

GRINDING AND POLISHING

HC Densifier

Hydroxide converter, chemical pore blocker


Application: Penetrative treatment

Pack size: 5L / 25L / 200L

Coverage: 8m² per 1L

Benefits :

- prevents dusting of concrete surfaces
- resistance to liquid penetration
- prevents dirt adhesion
- increases surface abrasion resistance



MM Sealer Combo

Acrylic resin concrete sealer


Application: Topical coating

Pack size: 5L / 25L / 200L

Coverage: 8m² per 1L

Benefits :

- water repellent with a sheen
- resistance to liquid penetration
- prevents staining
- easily applied and re-coated



P3 Primer

Cementitious Bonding Agent &
Crack filler

Application: 1mm

Pack size: 10kg / 20kg

Coverage: 1kg/mm/m²




FairingCoat

Thin-set, trowel on mortar

Application: 2mm

Pack size: 20kg

Coverage: 5 m² per bag



PatchMortar / PatchCrete

Trowelable mortar

Application: 5mm to 20mm

Pack size: 10kg / 25kg

Coverage: 2kg per mm/m²



Light Grey




Portland



Blast Furnace Grey



Charcoal



Natural



Cream

P3 Primer X

Cementitious Waterproof slurry
& crack filler

Application: 1mm

Pack size: 10kg bag

Coverage: 1.5 kg / m² / slurry coat



CrystalSkin

Waterproofing mortar

Application: 5mm to 20mm

Pack size: 25kg bag

Coverage: 2kg per mm / m²



Light Grey



Portland



Blast Furnace Grey



Charcoal



Natural



Cream

Siloxane Solution

Injectable liquid for
chemical damp proofing

Application: Penetrating

Coverage: 5m² to 8m² per Litre



PolyStrip

Low foaming detergent for high intensity deep cleaning

Pack size: 5L / 25L

Coverage: 5m² to 8m² per L

Used for :

Removal of oil, tyre marks, polymer/latex based products/paints



Stripper A

General purpose stripper and cleaner. Solvent base and non-foaming

Pack size: 5L / 25L

Coverage: 5m² to 8m² per L

Used for :

Removal of oils, grease, hydrocarbon resins, natural & synthetic rubber, solvent based products



MicroConcrete

Flowable, non-shrink cementitious grout
Contains 3mm to 5mm stone

Application: 10 to 60mm
Pack size: 25kg
Coverage: 80 bags per m³
Strength: 60MPa



SDP Grout

Standard dry-pack, thixotropic,
non-shrink cementitious grout

Application: 20 to 60mm
Pack size: 25kg
Coverage: 80 bags per m³
Strength: 60 MPa



SuperFlow™

Super flowable, non-shrink
cementitious grout

Application: 20 to 60mm
Pack size: 25kg
Coverage: 80 bags per m³
Strength: 40 MPa



DECORATIVE COUNTERTOPS & TABLES


TableTop Mix

Superplasticised small aggregate concrete


Application: 20 to 50mm

Pack size: 25kg

Coverage: 80 bags per m³




Light Grey




Portland



Blast Furnace
Grey



Charcoal



Natural

STEP 1 : P3 Coat X

Cementitious Waterproof slurry
& crack filler


Application: 1mm per coat
(2 coats suggested, opposite directions)
Coverage: 1,5kg/mm/m² per coat

STEP 2 : CrystalSkim WR

Trowel on waterproofing mortar
for water retaining structures

Application: 5mm to 20mm
Coverage: 2kg per mm/m²

CrystalSkim WR Colours :



Light Grey



Portland



Blast Furnace
Grey



Charcoal



Natural

Instructions:

- Clean and pre-wet surface with water
- Mix **P3 Coat X** into a slurry coat and apply
- Allow first coat to dry (approx. 4 hours, depending on conditions)
- Apply the second coat **P3 Coat X** in the opposite direction
- While second coat **P3 Coat X** is still wet, apply **CrystalSkim WR** at a minimum of 5mm thick (maximum 20mm thick)
- Allow at least 7 days to cure before filling with water

